


Siena Maxi

DOWNLIGHT



Product Code

MD63



Technical Description

Project initialise or retrofit modernise

Part of the Siena family: trim Ø240mm, cut-out Ø170mm, 13W - 50W High luminous flux up to 4300lm
 Beam angle options: 12°, 20°, 40°, 60° Excellent heat management with die cast aluminium housing
 Siena Maxi 900mA approved under VEU/IPART

Electrical Specifications

System Power	13W, 19W, 28W, 36W, 43W, 50W
Input Voltage	240V
Control Type	Non-Dimmable, DALI Dimmable
Power Factor	86lm/W

Physical Characteristics


Installation Method	Adjustable Recessed
Trim Finish	White, Black
VEU/IPART Approved	MD63AR-900mA
Custom Dimming Type	Available on request
IP Rating / IK Rating	IP20
Accessories	Without Accessory
Weight	1kg
Diffuser	Clear
Maximum Tilt Angle	70°
Maximum Rotation Angle	350°

Photometric Info


Luminaire Lumens	1500lm, 950lm, 2100lm, 1350lm, 2900lm, 1850lm, 3400lm, 2300lm, 3800lm, 2650lm, 4300lm, 3000lm
Colour Rendering Index (CRI)	CRI90
Colour Temperature (CCT)	3000K, 3000K Vivid, 3500K, 4000K
Beam Angle	12°, 20°, 40°, 60°

Polar Distribution Diagrams


Siena Maxi 15°



Siena Maxi 24°



Siena Maxi 40°



Siena Maxi

DOWNLIGHT

Siena Maxi 60°

